

# Capron (キャプロン)

薄く作るつくることができるので、パンプスやビジネスシューズにも使用でき、スポーツ別のスパイクシューズなどにも対応します。

## MULTISPORTS (マルチスポーツ)

**Characteristics :** equipping of common pathologies linked to sport not requiring major corrections.



SET OF SEPARATE elements



- 1 Thermoflex + black cambrelle 1.9 mm reinforcement and latero-lateral stability
- 2 Thermoflux 1 mm medio-plantar support
- 3 Neosorb 2 mm shock wave absorption
- 4 PRX 2 mm stiffness and support to backpart of foot
- 5 PR 25 2 mm protection and energie back
- 6 PE color MP, blue 2.5 mm resistant, washable and reduces foot slipping



FLAT ASSEMBLED module




THERMOFORMED preshaped insole



## INDOOR (インドア)

**Characteristics :** comfort, dynamism and stability for doing indoor sports.



SET OF SEPARATE elements



- 1 Colortex, white + grip, orange 1.6 mm latero-lateral stability
- 2 Colortex, black 1.4 mm reinforced to guarantee stability
- 3 Neosorb 2 mm shock wave absorption
- 4 Lunacell A, black 2 mm stiffness and stability
- 5 PR 20 2 mm protection and energie back
- 6 Trendline, orange / black 2 mm resistant, non-slip and washable



FLAT ASSEMBLED module




THERMOFORMED preshaped insole



## FOOT / RUGBY (サッカー)

**Characteristics :** model associating thinness and rigidity for sport shoes with studs with low fitting volume.



SET OF SEPARATE elements



- 1 Thermoflex + Carbon Soft 1.75 mm reinforcement and latero-lateral stability
- 2 Thermoflux 1 mm medio-plantar support
- 3 Neosorb 2 mm shock wave absorption
- 4 PE 250 2 mm stiffness and support to backpart of foot
- 5 PR 25 2 mm protection of pivoting point articulation
- 6 PE color MP, orange 1.5 mm thin, non-slip, resistant and washable



FLAT ASSEMBLED module



THERMOFORMED preshaped insole



## RUNNING (ランニング)

**Characteristics :** model associating stability, comfort and dynamism for feet in running shoes.



SET OF SEPARATE elements



- 1 Thermoflex + black cambrelle 1.9 mm stability and anti-pronation
- 2 Thermoflux 1 mm rigidity and latero-lateral stability
- 3 Neosorb 2 mm shock wave absorption
- 4 Smooth PE color, grey 2.5 mm comfort to backpart of foot
- 5 PR 25 2 mm forefoot protection and energie back
- 6 MP PE color, grey 2.5 mm resistant, washable and reduces foot slipping



FLAT ASSEMBLED module



THERMOFORMED preshaped insole




## TENNIS (テニス)

**Characteristics :** model associating comfort and stability with protection of the pivot-point for tennis, badminton.




SET OF SEPARATE elements



- 1 Thermoflex + Cambrelle, black 1.9 mm reinforcement and latero-lateral stability
- 2 Thermoflux 1 mm medio-plantar support
- 3 Neosorb 2 mm shock wave absorption
- 4 Marlon, green 2 mm soft, comfortable with low persistence
- 5 PR 20, orange 2 mm protection of pivoting point articulation
- 6 PE color MP, blue 2.5 mm resistant, washable and reduces foot slipping



FLAT ASSEMBLED module



THERMOFORMED preshaped insole



## GOLF (ゴルフ)

EVOLUTION

**Characteristics :** model associating thinness, stability and protection of the pivot-point joint.



SET OF SEPARATE elements



- 1 Colorflex, green 0.8 mm rigidity and latero-lateral stability
- 2 Colorflex, black 1.4 mm reinforcement and latero-lateral stability **MODIFIED**
- 3 Technichoc 2 mm comfort and shock wave absorption
- 4 Lunosoff 2 mm soft, comfortable with low persistence
- 5 PR 25 2 mm protection of pivoting point articulation
- 6 Marlon MP, green 1 mm thin, non-slip, resistant and washable



FLAT ASSEMBLED module



THERMOFORMED preshaped insole




## HIKING (ハイキング)

**Characteristics :** traditional model to equip minor pathologies not requiring major corrections in walking shoes.



SET OF SEPARATE elements



- 1 Thermoflex + cambrelle, black 1.9 mm reinforcement and latero-lateral stability
- 2 Thermoflux 1 mm medio-plantar support
- 3 Neosorb 2 mm shock wave absorption
- 4 PRX 2 mm soft and resistant
- 5 PE color MP, green 2.5 mm resistant, washable and reduces foot slipping



FLAT ASSEMBLED module



THERMOFORMED preshaped insole



(踵・膝に痛み)

## TALALGIA - THIN MODEL

EVOLUTION

**Characteristics :** model associating support, stability and comfort of the back of the foot for treating talalgias and enthesopathies. For a limited fitting volume.



SET OF SEPARATE elements



- 1 Thermoflex + cambrelle, grey 1.9 mm latero-lateral stability
- 2 Thermoflux 1 mm reinforcement of medio-plantar
- 3 Astroform 15, 3 mm **NEW** comfort of heel area
- 4 PRX 3 mm support and comfort
- 5 SMF, dark grey 0.6 mm **MODIFIED** thin, comfortable and washable



FLAT ASSEMBLED module



THERMOFORMED preshaped insole



# REALUX + THERMOFLUX (ビジネスシューズ)

**Characteristics** : used in fabrication of foot orthotics combining thinness, suppleness and resistance to bending.

SET OF SEPARATE elements



**1** Thermoflux 1 mm  
*support of the middle  
of the foot and heel area*

**2** Realux  
1.5 mm : Men/Sport  
1.1 mm : Women  
*rigid and resistant*



FLAT ASSEMBLED module



THERMOFORMED preshaped insole

